

Page 1 of 9

according to 29 CFR 1910.1200(g)

DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019

1. Identification

Product identifier

DruckWege Type D PRO Rev. 3

Product code:

TDS

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

3D Printing resin

Uses advised against

Not for intraoral area.

Details of the supplier of the safety data sheet

Company name:	Druckwege B.V.
Street:	Wasaweg 1A
Place:	9723 JD Groningen, The Netherlands
Telephone:	+31 50 763 08 45
e-mail:	support@druckwege.com
Contact person:	Jelmer Siekmans
Emergency phone number:	Emergency telephone: +31 50 763 08 45

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitization: Skin Sens. 1 Reproductive toxicity: Repr. 2

Danger

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Hazard statements

Causes skin irritation May cause an allergic skin reaction Causes serious eye damage Suspected of damaging fertility or the unborn child

Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.



Safety Data Sheet

according to 29 CFR 1910.1200(g)

DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019

Page 2 of 9

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of waste according to applicable legislation.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Components	Quantity
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate	43.41 %
2123508-19-8	Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked	40.27 %
4986-89-4	pentaerythritol tetraacrylate	13.41 %
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1.996 %

4. First-aid measures

Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media



DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019

Page 3 of 9

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Gases/vapors, toxic

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Store in a dry place. Provide adequate ventilation as well as local exhaustion at critical locations. Keep locked up. Store in a place accessible by authorized persons only.

Hints on joint storage

No information available.

Further information on storage conditions

Protect against: UV-radiation/sunlight, Humidity.

8. Exposure controls/personal protection

Control parameters



DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019

Page 4 of 9

Exposure limits

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

Exposure controls







Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes.

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Color: Odor: pH-Value:	Liquid various like: Acrylate	not determined
Changes in the physical state Melting point/freezing point: Initial boiling point and boiling range:		not determined > 100 °C
Flash point: Flammability Solid: Gas:		> 110 °C not applicable not applicable



Revision date: 05.08.2019

according to 29 CFR 1910.1200(g)

DruckWege Type D PRO Rev. 3

Page 5 of 9

Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits: Ignition temperature:	> 230 °C	
Auto-ignition temperature Solid: Gas: Decomposition temperature:	not applicable not applicable not determined	
Oxidizing properties Not oxidising.		
Vapor pressure:	< 1 hPa	
Density:	not determined	
Water solubility:	poorly soluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Vapor density:	not determined	
Evaporation rate:	not determined	
Other information		

Other information

Odor threshold: not determined

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability:

Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions:

Will not occur

No known hazardous reactions.

Conditions to avoid

Protect against: UV-radiation/sunlight, Humidity.

Incompatible materials

No information available.

Hazardous decomposition products

In case of fire may be liberated: Gases/vapors, toxic

11. Toxicological information

Information on toxicological effects

Route(s) of Entry

Eye contact, dermal, inhalative, oral.



DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components						
	Exposure route	Dose		Species	Source	Method	
13048-33-4	hexamethylene diacrylat	hexamethylene diacrylate; hexane-1,6-diol diacrylate					
	oral	LD50 mg/kg	5000	Rat	Manufacturer		
	dermal	LD50 mg/kg	3650	Rabbit	Manufacturer	OECD 402	
4986-89-4	9-4 pentaerythritol tetraacrylate						
	oral	ATE mg/kg	500				
75980-60-8	30-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer		

Irritation and corrosivity

Causes skin irritation

Causes serious eye damage

Sensitizing effects

May cause an allergic skin reaction (hexamethylene diacrylate; hexane-1,6-diol diacrylate; Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked; pentaerythritol tetraacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility or the unborn child (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
Carcinogenicity (IARC):	Silica, amorphous (CAS 7631-86-9) is listed in group 3.
Carcinogenicity (NTP):	No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential



DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

US DOT 49 CFR 172.101

<u>UN/ID number:</u>	UN 3082
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol tetraacrylate)
Transport hazard class(es):	9
Packing group:	III
Hazard label:	9
Marine transport (IMDG)	
<u>UN number:</u>	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol tetraacrylate)
Transport hazard class(es):	9
Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity: EmS:	E1 F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol tetraacrylate)
Transport hazard class(es):	9
Packing group:	III

Page 7 of 9



Druckwege B.V.

according to 29 CFR 1910.1200(g)

DruckWege Type D PRO Rev. 3

Revision date: 05.08.2019 Page 8 of 9 Hazard label: 9 **Special Provisions:** A97 A158 A197 Limited quantity Passenger: 30 kg G Passenger LQ: Y964 Excepted quantity: E1 IATA-packing instructions - Passenger: 964 IATA-max. quantity - Passenger: 450 L IATA-packing instructions - Cargo: 964 IATA-max. quantity - Cargo: 450 L **Environmental hazards ENVIRONMENTALLY HAZARDOUS:** yes Danger releasing substance: hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol tetraacrylate Special precautions for user No information available. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable 15. Regulatory information U.S. Regulations **National Inventory TSCA** hexamethylene diacrylate; hexane-1,6-diol diacrylate: Yes. Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked: No. pentaerythritol tetraacrylate: Yes. diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide: Yes. amorphous silica: Yes. National regulatory information SARA Section 311/312 Hazards: hexamethylene diacrylate; hexane-1,6-diol diacrylate (13048-33-4): Immediate (acute) health hazard Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked (2123508-19-8): Immediate (acute) health hazard pentaerythritol tetraacrylate (4986-89-4): Immediate (acute) health hazard diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8): Immediate (acute) health hazard State Regulations Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California) This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Hazardous Materials Information Label (HMIS)

Health:	*3
Flammability:	1



Re

according to 29 CFR 1910.1200(g)

	according to 29	CFR 1910.1200(g)	
	DruckWege Typ	be D PRO Rev. 3	
evision date: 05.08.2019			Page 9 of 9
Physical Hazard:	0		
NFPA Hazard Ratings			
Health:	3		
Flammability:	1		
Reactivity:	0		
Unique Hazard:			\sim
Revision date:	05.08.2019		
Revision No:	1,0		
Abbreviations and acronyms			
ACGIH: American Conference CFR: Code of Federal Regulat DOT: Department of Transport ICAO: International Civil Aviatio IMDG: International Maritime C IATA: International Air Transpor IARC: International Agency for GHS: Globally Harmonized Sys CAS: Chemical Abstracts Serv NFPA: National Fire Protection NTP: National Toxicology Prog OSHA: Occupational Safety an PEL: permissible exposure limi REL: recommended exposure SARA: Superfund Amendment STEL: Short-term exposure limi TSCA: Toxic Substances Contr TWA: time-weighted average TI: Technical Instructions DGR: Dangerous Goods Regu UN: United Nations ATE: Acute toxicity estimate LC50: Lethal concentration, 50 LD50: Lethal loading, 50% EL50: Effect loading, 50% EL50: Effective Concentration NOEC: No Observed Effect Co BCF: Bio-concentration factor MARPOL: International Convertible: Intermediate Bulk Contain	ons ation n Organization ode for Dangerous Goods t Association Research on Cancer tem of Classification and Lat ce Association am d Health Administration d Health Administration am d Health Administration to and Reauthorization Act t t ol Act ations %	belling of Chemicals	
VOC: Volatile Organic Compou	nds		
Other data The information is based on pro-	sent level of our knowledge	It does not, however, give assurance	ces of product
rite internation to buoba on pr	section of our informougo.		

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)